



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a. s.
Divize CSI – Centrum stavebního inženýrství
Autorizovaná osoba, Oznamovaný subjekt, Certifikační orgán,
Akreditované zkušební laboratoře
Authorised Body, Notified Body, Certification Body,
Accredited Test Laboratories
Pražská 16, 102 00 Praha 10



Notified Body 1390

CERTIFICATE OF CONSTANCY OF PERFORMANCE

1390 – CPR – 0560/20/P

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Factory made mineral wool products used for thermal and sound insulation of buildings and premises

(according to list given in the annex to the certificate)

placed on the market by : LLC "DoorHan - Stolitsa" 394056, Russia, Voronezh, Soldatskoe Pole street, 285 I

DIČ : 5032194703

and produced in the manufacturing plant : LLC "DoorHan - Stolitsa" 394056, Russia, Voronezh, Soldatskoe Pole street, 285 I


This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13 162:2012+A1:2015

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 10.11.2020 and will remain valid as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Notified Body 1390
Prague, 10.11.2020




Ing. Petr Kučera, CSc.
Deputy of Notified Body 1390



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a. s.
Divize CSI – Centrum stavebního inženýrství
Autorizovaná osoba, Oznamovaný subjekt, Certifikační orgán,
Akreditované zkušební laboratoře
 Authorised Body, Notified Body, Certification Body,
 Accredited Test Laboratories
 Pražská 16, 102 00 Praha 10



Annex to the Certificate of Constancy of Performance 1390-CPR-0560/20/P

The certificate covers the following products of LLC "DoorHan - Stolitsa" 394056, Russia, Voronezh, Soldatskoe Pole street, 285 I

<i>Trade mark</i>	<i>Thermal conductivity $W.m^{-1}.K^{-1}$</i>	<i>Reaction to fire</i>	<i>Type code in accordance with EN 13 162</i>
DoorHan Light Extra	0,039	A1	MW – EN 13162 – T2 – WS – MU1
DoorHan Light	0,038	A1	MW – EN 13162 – T2 – AW0,8 – WS – MU1
DoorHan Universal	0,037	A1	MW – EN 13162 – T2 – AW0,8 – WS – MU1
DoorHan Vent Optima	0,035	A1	MW – EN 13162 – T4 – CS(10)5; –TR5 – WS – MU1
DoorHan Vent	0,036	A1	MW – EN 13162 – T4 – CS(10)5; –TR5 – WS – MU1
DoorHan Fasade Universal	0,037	A1	MW – EN 13162 – T5 – CS(10)40; –TR10 – WS – MU1
DoorHan Fasade Optima	0,037	A1	MW – EN 13162 – T5 – CS(10)40; –TR15 – WS – MU1
DoorHan Fasade	0,039	A1	MW – EN 13162 – T5 – CS(10)50; –TR15 – WS – MU1
DoorHan Roof L Optima	0,036	A1	MW – EN 13162 – T5 – CS(10)30; –TR5 – WS – PL(5)400 – MU1
DoorHan Roof L	0,037	A1	MW – EN 13162 – T5 – CS(10)40; –TR7,5 – WS – PL(5)450 – MU1
DoorHan Roof	0,037	A1	MW – EN 13162 – T5 – CS(10)50; –TR10 – WS – PL(5)500 – MU1
DoorHan Roof T Optima	0,039	A1	MW – EN 13162 – T5 – CS(10)60; –TR15 – WS – PL(5)550 – MU1
DoorHan Roof T	0,039	A1	MW – EN 13162 – T5 – CS(10)60; –TR15 – WS – PL(5)650 – MU1
DoorHan Roof T Extra	0,040	A1	MW – EN 13162 – T5 – CS(10)80; –TR15 – WS – PL(5)800 – MU1- RtF
DoorHan Floor Optima	0,037	A1	MW – EN 13162 – T6 – CS(10)40; –CP4; –AW0,8 - WS – MU1 - SD;
DoorHan Floor	0,040	A1	MW – EN 13162 – T6 – CS(10)60; –CP4; –AW0,8 - WS – MU1 - SD;



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a. s.
Divize CSI – Centrum stavebního inženýrství
Autorizovaná osoba, Oznámený subjekt, Certifikační orgán,
Akreditované zkušební laboratoře
Authorised Body, Notified Body, Certification Body,
Accredited Test Laboratories
Pražská 16, 102 00 Praha 10



Annex to the Certificate of Constancy of Performance 1390-CPR-0560/20/P

**The certificate covers the following products of LLC "DoorHan - Stolitsa" 394056,
Russia, Voronezh, Soldatskoe Pole street, 285 I**

*) Dynamic stiffness in dependence on thickness

<i>DoorHan Floor</i>		
d (mm)	30	40
SDi	33	26

<i>DoorHan Floor Optima</i>		
d (mm)	30	40
SDi	26	19

Notified Body 1390
Prague, 10. 11. 2020




Ing. Petr Kučera, CSc.
Deputy of Notified Body 1390